

T. 38 N. R. 4 W. 2nd Mer.

Meanders - 80

T. 29 N. R. 5 W. 2nd Mer.

89

☞ The figures on the lines refer to the page.

^{or} Township 29 North, Range 5 West, 3rd Mer. Ind.^a

C. L.

South Boundary,

(Var. 5° 40' E.)

Met On S. side of sec. 36,

40.00 Set gr. sec. post. from which

a G. Oak 12 in. dia. bears S 47° E 48 1/2 m. dist,

& a Do. 12 " " " S 29 1/2° W 269 " "

80.00 Set a post cor. sec. 35 & 36 from which

a G. Oak 10 in. dia. bears N 71° W 44 1/2 m. dist,

& a Do. 20 " " " N 79° E 45 1/2 " "

Land mark, some scattering Oaks,

Met On S. side Sec. 35,

3.00 Leave wet prairie.

34.00 Enter a dry prairie

40.00 Set gr. sec. post. from which

a Hickory 10 in. dia. bears S 39° E 310 m.

& a G. Oak 10 " " " N 16° W 291 " "

80.00 Set post cor. sec. 34 & 35 in prairie

where raise a mound,

Land level, soil generally good some scattering Oak & Hickory on E 1/2,

Met On S. side Section 34

40.00 Set gr. sec. post. from which

a G. Oak 12 in. dia. bears S 24° E 5.75 m. dist,

no other trees on N. side,

70.00 Enter Oak grove

80.00 Set post cor. sec. 33 & 34 from which

a W. Oak 24 in. dia. bears N 68° E 123 m. dist,

& a G. Oak 10 " " " N 18° E 190 " "

Land level soil good & Oak timber,

Met On S. side Section 33,

15.00 Enter prairie

40.00 Set gr. sec. post. from which

a G. Oak 15 in. dia. bears N 82° E 169 m.

^{up}
T. 29 N. R. 5 W. 2nd Mer. Ind.?

6. L. a Br. Oak 10 in. dia. bears N 65 $\frac{1}{2}$ W 285 lth. int.
43.00 Enter Oak timber
65.96 a W. Oak 20 in. dia. in line.
80.00 Set post cov. sec. 32 & 33 from which
a W. Oak 20 in. dia. bears N 45 W 114 lth. int.
& a Y. Oak 10 " " " N 76 E 103 " "
Land ~~much~~ same —

West On S. side Section 32
16.00 Enter prairie, rather wet,
40.00 Set gr. sec. post from which
a Y. Oak 12 in. dia. bears N 74 E 310 lth. int.
& a Do. 10 " " " N 74 E 321 " "
54.00 Leave prairie.
67.72 a W. Oak 18 in. dia.
80.00 Set post cov. sec. 31 & 32 from which
a Y. Oak 18 in. dia. bears N 65 E 83 lth. int.
& a Do. 20 " " " N 64 W 96 " "
Land level & 2nd rate Y. & W. Oak

West On S. side Sec. 31 —
11.00 Enter a prairie
40.00 Set gr. sec. post in prairie
where raise a mound
45.00 Prairie becomes rolling
82.00 Set post cov. Town 29 North R. 5 W.,
a Y. Oak 10 in. dia. bears S 28 W 557 lth. int.
& a Do. 12 " " " S 49 $\frac{3}{4}$ W 1067 " "
E $\frac{1}{2}$ rather low 2nd rate, some Oak timber
W $\frac{1}{2}$ rolling & 1st rate. N. 5:40 E.
December 14th 1833, Surveyed by,
Sylvester Sibley. D. S.

East Boundary,
Var. 5:35 E,
North On E. side Section 36

85

by
S. 29 N. R. 5 W. 2nd, Nov, Ind.?

- 4.00 Enter wet prairie ,
 33.00 Enter dry do,
 40.00 Set gr. sec. post from which
 a Y. Oak 6 in. dia., bears S $4\frac{1}{2}$ W 945 M. dist,
 no other ,
 80.00 Set post cor. Sec. 25 & 36 from which
 a Y. Oak 10 in. dia., bears S $66\frac{1}{2}$ E 521 M. dist,
 & a Y. Oak 6 " " " N $51\frac{1}{2}$ W 570 " "
 Land level at $\frac{1}{2}$ 1st rate dry prairie

North On E. side Section 25.

- 6.00 Leave prairie
 10.49 a Y. Oak 9 in. dia.,
 12.00 a Road N.W. & S.E.,
 22.00 Enter a wet prairie
 40.00 Set gr. sec. post from which
 an Aspen 9 in. dia., bears S $3\frac{1}{2}$ E 877 M.,
 no other
 80.00 Set post cor. Sec. 24 & 25 from which
 a Y. Oak 9 in. dia., bears S $3\frac{1}{2}$ E 132 M. dist,
 & a W. Oak 6 " " " N $89\frac{1}{2}$ E 282 " "
 Land mostly wet prairie
 & timber scattering Oak.

North On E. side Sec. 24 -

- 40.00 Set gr. sec. post from which
 a Y. Oak 18 in. dia., bears North 807 M. dist,
 & a Do, 20 " " " N $6\frac{1}{2}$ E 795 " "
 46.00 Enter a dry prairie
 80.00 Set post cor. Sec. 13 & 24 in prairie
 where raised a mound,
 Land level dry prairie, soil 1st rate,
 S $\frac{1}{2}$ prov. scattering Oak timber ,

North On the E. side Section 13,

- 40.00 Set gr. sec. post & raise a mound,

T. 29 N. R. 5 W. 2nd Mer. Ind.^o

80.00 Set post cor. sec. 12 & 13 in prairie
where raise a mound,
Land level & dry prairie soil 1st rate,

North On E. side Section 12

40.00 Set gr. sec. post in prairie
where raise a mound,

80.00 Set a post cor. sec. 1 & 2 in prairie
where raise a mound,
Land prairie as before,

North On E. side of Sec. 1.

40.00 Set gr. sec. post in prairie
where raise a mound

80.00 Set a temporary town corner,
Land prairie as before (Var. 5° 35' E.)
Dec. 11th 1833, Surveyed by -
Sybester Sibley Dep. Sur.

North Boundary.

Var. 5° 35' E.

West On S. side sec. 36 T. 30 N. R. 5 W.,

40.00 Set gr. sec. post & Raise a mound

80.00 Set post cor. sec. 35 & 36 & Raise mound
Land level & 1st rate prairie,

West On S. side Sec 35 T. 30 N. R. 5 W.,

8.00 a Road on N & S,

14.00 an Indian trail cor. S-W,

40.00 Set gr. sec. post from which
no bearings - Raise a mound,

77.00 Leave prairie

80.00 Set post cor. sec. 34 & 35 from which
a W. Oak 9 in dia. bears N 43° W 17 1/2 m. dist,
& an Aspen 10 " " " N 8° E 18 " "
Land mostly prairie

87

W. 29 N. - R. 5 W. 2nd Mer. Indiana

Mesh On S. side of Sec. 34 T. 30 N. R. 5 W
 8.00 Enter a prairie
 38.00 Leave the do,
 40.00 Set gr. sec. post cor. sec. from which
 a Br. Oak 18 in. dia., bears N 28 W 249 ft. th,
 & a Do. 20 " " " N 73 E W 255 "
 69.26 a W. Oak 18 " "
 80.00 Set post cor. sec. 33 & 34 from which
 a B. Oak 9 in. dia., bears N 73 1/4 W 129 ft. th,
 & a W. Oak 6 " " " N 64 E 154 "
 Land level & 2nd rate timber W. & Y. Oak,

Mesh On S. side Sec. 33, T. 30 N. R. 5 W.
 14.66 a W. Oak 16 in. dia.,
 27.81 a W. Oak 18 " "
 30.00 Enter marsh
 37.00 Leave same
 40.00 Set gr. sec. post from which
 a Y. Oak 9 in. dia., bears N 50 W 467 ft. th. dit,
 & a Do. 7 " " " N 80 W 406 " "
 48.00 Enter a dry prairie
 80.00 Set a post cor. sec. 32 & 33 in prairie
 where raise a mound,
 Land level soil good. timber thin
 of Br. & W. & Y. Oak &

Mesh On S. side Sec. 32 T. 30 N. R. 5 W,
 40.00 Set gr. sec. post from which
 a Br. Oak 18 in. dia., bears S 26 E 202 ft. th,
 & a " Do. 12 " " " S 19 E W 205 "
 no timber on ct. near line,
 80.00 Set post cor. sec. 31 & 32 from which
 a Y. Oak 16 in. dia., bears N 29 E 206 ft. th. dit,
 & a Br. Oak 16 " " " N 55 W 438 " "
 Land gently rolling & first rate prairie

T. 29 N. R. 5 W. 2nd Mer. Ind.^u

- Meet On E. side Sec. 31. T. 30 N. R. 5 W,
 21.00 Enter scattering Oak timber,
 and Hazel thickets
 40.00 Set gr. sec. post from which
 a Y. Oak 12 in. dia. bears N 78 $\frac{1}{2}$ E 156 lbs.
 & a Do. 10 " " " at 26 24 1 "
 65.00 Enter fine grove W. Br. Oak,
 67.07 a Br. Oak 15 in. dia.
 79.55 To W. boundary 658 lbs. South of temporary
 town corner, where set post cor. Towns
 29. & 30 N. Ranges 5 & 6 W from which
 a Y. Oak 18 in. dia. bears S 82 W 38 lbs. dia.
 & a W. Oak - " " " S 86 E - " "
 Land rolling & fresh rate, thinly timbered
 with W. & Br. Oak, Mud, Gt. Hazel in
 places, December 13th 1833. (Var. 5 $\frac{1}{2}$ 35 E.)
 Surveyed by - Sylvester Sibley. D. S.

West Boundary, Var. 5 $\frac{1}{2}$ 35 E.

- North On E. side Sec. 36 T. 29 N. R. 6 W,
 40.00 Set gr. sec. post in prairie
 where raise a mound
 80.00 Set post cor. Sec. 25 & 36 in prairie
 where raise a mound,
 Land gently rolling 1st rate, no timb.

- North On E. side Sec. 35 T. 29 N. R. 6 W,
 40.00 Set gr. sec. post in prairie
 where raise a mound
 80.00 Set post cor. Sec. 24 & 25 in prairie
 where raise a mound
 Land &c. same as before

- North On E. side Sec. 24 T. 29 N. R. 6 W,
 40.00 Set gr. sec. post. & raise a mound

T. 29 N. R. 5 W. 2nd Mer. Ind^a

80.00 Set post cor. Sec. 13 & 24 from mound
Land &c, same as on last mile,

North On E. side sec. 13 T. 29 N. R. 6 W,

26.00 Leave prairie

40.00 Set gr. sec. post from which

a Y. Oak 9 in. dia. bears at 13 E 25 1/2 N. 1/2 W.

& a Do. 10 " " " N 4 1/2 W 23 1/2 " "

67.00 To sluggish stream 5.00 N. wide on S. W,

80.00 Set post cor. Sec. 13 & 13 from which

a W. Oak 28 in. dia. bears S 56 W 48 1/2 N. 1/2 W.

& a Do. 10 " " " N 17 1/2 W 64 " "

Land gently rolling & fair rate scattering
Oak et. of prairie,

North On E. side of sec. 12 T. 29 N. R. 6 W,

12.00 Enter a dry prairie

40.00 Set gr. sec. post in Do.

where raise a mound

80.00 Set post cor. sec. 1 & 12 in prairie

where raise a mound,

Land rolling & fair rate. timber same

North On E. side Sec. 1 T. 29 N. R. 6 W,

14.00 Leave prairie

40.00 Set gr. sec. post from which

an aspen 10 in. dia. bears N 4 1/2 W 65 1/2 N.

& a Br. Oak 12 " " " N 4 1/2 W 29 1/2 "

a Y. Oak 18 in. dia,

80.00 Set temporary town corner,

Land rolling soil good. timber

Br. & W. Oak &c. Var. S. 35 E,

December 14th 1833. Surveyed by

Sylvester Sibley D. S.

Subdivision.

Sec. 29 N. R. 5 W. 2nd New. Ind.

North Between sections 35 & 36

40.00 Set gr. sec. post from which
a W. Oak 24 in. dia. bears N 67° W 80 M. dist.
+ a Do. 20 " " " N 36° E 97 " "

61.60 a W. Oak 18 " " "

80.00 Set a post cor. sec. 25, 26, 35 & 36

a W. Oak 18 in. dia. bears S 78° E 523 M. dist.
+ a Do. 12 " " " S 87½° E 590 " "

Land principally wet prairie some
groves of W. & Bl. Oak &

East On Random between sections 25 & 36
79.88 To E. line of Sec. 29 M. N. of post,

West Correct line between sec. 25 & 36

39.94 Set gr. sec. post from which
a W. Oak 20 in. dia. bears S 26° E 36 M. dist.
+ a Do. 24 " " " N 7° E 92 " "

79.88 To sec. corner,

Land level wet prairie groves of Oak &

North Between sections 25 & 26

40.00 Set gr. sec. post & raise a mound

80.00 Set post cor. sec. 23, 24, 25 & 26 in prairie
where raise a mound

& Land wet prairie groves of W. & B. Oak,

East On Random between sec. 24 & 25

80.55 To E. boundary sec. 23 M. N. of post

West Correct line between sec. 24 & 25

40.27 = set gr. sec. post from which
a B. Oak 18 in. dia. bears N 10° E 85 M.
+ a Do. 8 " " " N 5° W 76 " dist.

63.15 To Lafayette Road

80.55 To sec. corner, Land level wet prairie

91

T. 29 N. R. 5 W. 2nd Mer. Ind.

C. L. some groves of Bl. & W. Oak timber

North Between sections 23 & 24

26.31 $\frac{1}{2}$ Lafayette Road

40.00 Set gr. sec. post from which
a B. Oak 18 in dia, bears N $34\frac{1}{2}$ E 5.00 ths,
& a Do. 20 " " " N 30 E 5.59 " dit,

80.00 Set post cor. sec. 13, 14, 23 & 24 no bearings
Land level & greater part prairie 2nd rate

East On Random Between sec. 13 & 24

81.00 To E. line sec. 86 ths. S. of post,

West Correct line between sec. 13 & 24

40.50 Set gr. sec. post & raise a mound

80.00 To sec. corner,
Land level & 2nd rate prairie,

North Between sections 13 & 14

40.50 Set gr. sec. post. in mound,

80.00 Set post cor. sec. 11, 12, 13 & 14 in mound,
Land level & 2nd rate prairie,

East On Random between sec. 13 & 13

80.87 To E. line of sec. 108 ths. S. of post,

West Correct line between sec. 12 & 13,

40.43 $\frac{1}{2}$ Set gr. sec. post. & raise a mound

80.87 To sec. corner,
Land level & 2nd rate prairie

North Between sections 11 & 12

40.00 Set gr. sec. post & raise mound

80.00 Set post cor. sec. 1, 2, 11 & 12
no bearings. Land level & 2nd rate
prairie,

T. 29 N. R. 5 W. 2nd Mer. Ind.^a

East On Random between Sec. 1 & 12
80.71 To E. line of Sec. 27th M. S. of post

West Correct line between Sec. 1 & 12
40.35 $\frac{1}{2}$ Set q^r. Sec. post. in mound
80.71 To Sec. corner,
Land level & sec^{rate} prairie

North Between Sections 1 & 2
40.00 Set q^r. Sec. post in a mound
73.80 To N. boundary, & set post cor. Sec. 1 & 2,
No bearings. Land level 2nd rate
prairie, 17th June, 1834. In mound

North Between Sections 34 & 35
40.00 Set q^r. Sec. post, & Raise a mound
80.00 Set post cor. Sec. 36, 27, 34 & 35
where raise a mound
Land level & dry prairie,

East On Random between Sec. 26 & 35
79.70 To E. line of Sec. 19 M. S. of post

West Correct line between Sec. 26 & 35
39.85 Set q^r. Sec. post from which
a B. Oak 20 in dia. bears N 12 E 15th M. dist;
& a Hickory 24 " " " S 59 E 132 " "
79.70 To Sec. corner,
Land principally wet prairie some
groves of B. & W. Oak —

North Between Sections 26 & 27
40.00 Set q^r. Sec. post & Raise a mound
80.00 Set post cor. Sec. 22, 23, 26 & 27 in mound
Land dry & 2nd rate & no bearings

T. 29 N. R. 5 W. 2nd Mer. Ind.

East On Random between sec. 23 & 26
79.25 To E. line of sec. 55 th. S. of post

West Correct line between sec. 23 & 26
39.62½ Set q^r. sec. post & Raise a mound
79.25 To sec. corner. Land level prairie
& second rate, —

North Between sections 22 & 23,
40.00 Set q^r. sec. post. in mound
80.00 Set post cor. sec. 14, 15, 22 & 23
where raise a mound,
Land level & sec^d rate prairie

East On Random between sec. 14 & 23,
79.12 To E. line of sec. 3 th. S. of post

West Correct Between sec. 14 & 23,
4.12 To Lafayette Road,
39.56 Set q^r. sec. post & Raise a mound
79.12 To sec. corner,
Land sec^d rate prairie

North Between sections 14 & 15
40.00 Set q^r. sec. post & Raise a mound
80.00 Set a post cor. sec. 10, 11, 14 & 15
where raise a mound,
Land level & sec^d rate prairie

East On Random between sec. 11 & 14
79.43 To E. boundary of sec. 54 th. S. of post

West Correct line between sec. 11 & 14
4.23 To Lafayette Road,
39.76 Set q^r. sec. post & Raise a mound
79.43 To sec. corner, Land 2nd rate prairie

T. 29 N. R. 5 W, 2nd Mer. Ind.^a

North Between sections 10 & 11

40.00 Set g^r. sec. post & Raise a mound
 80.00 Set post cor. Secs. 2, 3, 10 & 11 from which
 a B. Oak 18 in dia, bears S 39 $\frac{1}{2}$ E 114 lns,
 & a Do, 15 " " " S 10 W 150 "
 Land level & greater part wet barrens
 scarce of timber,

East On Random between Secs. 2 & 11
 81.64 To E. line of Sec. 16 lns. S. of post

West Correct line between Secs. 2 & 11

11.04 To Lafayette Road
 40.82 Set g^r. sec. post & Raise a mound
 81.64 To Sec. corner,
 Land greater part 2nd rate prairie

North Between sections 2 & 3,

34.84 a W. Oak 20 in dia,
 40.00 Set g^r. sec. post from which
 a W. Oak 30 in dia, bears S 39 $\frac{1}{2}$ W 613 lns,
 & a Do. 25 " " " S 16 $\frac{1}{2}$ W 600 "
 74.38 To N. boundary 212 lns. W. of post
 & set post cor. Secs. 2 & 3. from which
 a B. Oak 10 in dia, bears N 40 E 100 lns. dist,
 & a Do. 15 " " " N 28 W 96 " "
 Land greater part wet barrens
 18th June 1834. —

North Between sections 33 & 34

40.00 Set g^r. sec. post from which
 a B. Oak 24 in dia, bears N 89 W 279 lns,
 & a Do. 30 " " " S 81 W 225 "
 80.00 Set post cor. Secs. 27, 28, 33 & 34
 where raise a mound
 Land level 2nd rate prairie,

95

S. 29 N. R. 5 W. 2nd Mer. Ind^a

East On Random between sec. 27 & 34
79.04 To E. line of sec. 75 th. N. of post

West Correct line between sec. 27 & 34
39.52 Set g^r. sec. post & raise a mound
79.04 To sec. cor. Land level 2nd rate
prairie, R. Hanna, D. L.

North Between Sections 27 & 28,
34.20 a B. Oak 20 in. dia.,
40.00 Set g^r. sec. post from which
a B. Oak 20 in. dia. bears S 38 E 261 th.,
& a W. Oak 24 " " " S 66 E 261 "
80.00 Set post cor. sec. 21, 22, 27 & 28 from which
a W. Oak 18 in. dia. bears S 3 E 251 th. dia.,
& a Do. 20 " " " S 11 E 253 " "
Land greater part prairie & groves of
W. & B. Oak -

East On Random between sec. 22 & 27
79.04 To E. line of sec. 80 th. N. of post

West Correct line between sec. 22 & 27
39.52 Set g^r. sec. post from which
a B. Oak 24 in. dia. bears N 75 W 600 th.,
& a W. Oak 21 " " " West 33 in. dia.,
79.04 To the sec. corner,
Land greater part prairie and grove
of White & Bl. Oak,

North Between Sections 21 & 22
25.85 a W. Oak 36 in. dia.,
40.00 Set g^r. sec. post from which
a W. Oak 20 in. dia. bears N 45 E 203 th.,
& a Do. 20 " " " N 29 E 172 "
42.41 a B. Oak 20 " "

T. 29 N. R. 5 W. 2nd Mer, Ind.^a

80.00 Set a post cor. Sec. 15, 16, 21 & 22,
where raise a mound
Land greater part prairie & groves
of W. & B. Oak in places,

East On Random between Sec. 15 & 22
79.72 To E. line of Sec. 89 th. N. of post,

West Correct line between Sec. 15 & 22
39.81 Set q^r. sec. post & Raise a mound
79.72 To sec. corner,
Land level & sec. prairie,

North Between sections 15 & 16
40.00 Set q^r. sec. post & Raise a mound
80.00 Set post cor. Sec. 9, 10, 15 & 16
where raise a mound,
Land level 1st rate prairie

East On Random between Sec. 10 & 15
79.36 To E. line of Sec. 96 th. N. of post,

West Correct line between Sec. 10 & 15
39.68 Set q^r. sec. post & Raise a mound
79.36 To sec. corner,
Land level & wet prairie

North Between sections 9 & 10
40.00 Set q^r. sec. post & Raise a mound
56.50 To Froquois 100 th. wide cor. S. W.,
69.50 " " B. Oak 15 in. dia.,
80.00 Set post cor. Sec. 3, 4, 9 & 10 from which
a W. Oak 15 in. dia., bears S 34° W 129 th. dia.,
& a S. 12 " " " N 43° E 69 " "
Land 2nd rate, S. of Froquois 1st rate
prairie N. of Do. B. Br. & W. Oak land,

97

by T. 29 N. R. 5 W. 2nd Mer. Ind^a

East On Random between Secs 3 & 10
79.10 To E. line of Sec. 97 Mer. N. of post

West Correct line between Secs 3 & 10
39.59 Set gr. sec. post from which
a W. Oak 30 in. dia. bears S 70° W 271 ths,
+ a Do. 25 " " " S 81½° W 262,
76.10 To bank of Froquois 2 chs. wide cr. S,
79.10 To sec. corner,
Land level & 3rd rate timber stand of
White & Black Oak &

North Between Sections 3 & 4

16.40 a W. Oak 20 in. dia.,
40.00 Set gr. sec. post in Froquois, in water
and thigh deep, no bearings cr. S E,
47.85 a W. Oak 20 in. dia.,
69.10 Intersect N. boundary 9 ths. N. of post,
in flag & Rush swamp, marked cor. trees
but took no bearings.
Land level & greater part intolerable
deep flag & tall rush swamp
19th June 1834. R. Hannu D. L.

North Between sections 32 & 33

40.00 Set gr. sec. post from which
a B. Oak 18 in. dia. bears N 30 E 225 ths,
+ a Do. 20 " " " N 21 W 205 "
78.74 a B. Oak 18 " "
80.00 Set post cor. Secs. 28, 29, 32 & 33,
a B. Oak 18 in. dia. bears N 30 E 46 ths,
+ a Do. 12 " " " N 41½ W 41 "
Land level prairie & generally wet
with small groves of W. & B. Oak &

East On Random between Secs 28 & 33

up
T 29 N. R. 5 W. 2nd. New, Ind.^a

79.74 To E. line of Sec. 17th. N. of post

West Correct line between Sec. 28 & 33

39.87 Set gr. sec. post from which
an Aspen 18 in. dia. bears S 59 E 325th.
& a B. Oak 20 " " " S 45 W 343 "

78.67 To a Cherry 20 " "

79.74 To sec. corner,

Land level prairie. Aspen Cherry &
B. Oak trees. scattering.

North Between sections 28 & 29

40.00 Set gr. sec. post & Raise a mound

80.00 Set post cor. sec. 20, 21, 28 & 29 from which
a B. Oak 18 in. dia. bears N 72 W 100th. dist.
& a Do. 30 " " " N 29 W 86 " "

Land level & wet prairie some groves of
Bl. & White Oak. & mound

East On Random between Sec. 21 & 28,

79.67 To South of post 10th. Intersect E. line of sec.

West Correct line between sec. 21 & 28

39.83 $\frac{1}{2}$ Set gr. sec. post from which
a Hickory 12 in. dia. bears N 4 W. 30th. dist.
& a B. Oak 10 " " " S 83 E 612 " "

44.46 a B. Oak 18 " "

79.67 To sec. corner,

Land principally wet prairie, some
groves of B. & W. Oak.

North Between sections 20 & 21

40.00 Set gr. sec. post from which

a B. Oak 26 in. dia. bears S 3 W 150th. dist.
& a Do. 10 " " " N 19 W 420 " "

80.00 Set post in mound cor. sec. 16 & 20 & 21

T. 29 N. R. 5 W. 2nd Mer. Ind.^a

E. L. Land level greater part Bullrush swamp, scattering B. Oak & W. Oak,

East On Random between Sec. 16 & 21
78.87 To E. line of sec. 84 th. S. of post,

West Correct line between Sec. 16 & 21
39.43 $\frac{1}{2}$ Set q^r. sec. post. Raise a mound
78.87 To Sec. corner,
Land part rolling & part swampy
& part sec. rate prairie,

North Between Sections 16 & 17
40.00 Set q^r. sec. post. Raise a mound
80.00 Set post in mound cor. Sec. 8, 9, 16 & 17
Land greater part dry prairie
& sec. rate land,

East On Random between sec. 9 & 16
79.05 To E. line sec. 123 th. S. of post

West Correct line between sec. 9 & 16
39.52 $\frac{1}{2}$ Set q^r. sec. post. Raise mound
79.05 To Sec. corner, Land level & 2nd rate
prairie —

North Between sections 8 & 9
40.00 Set q^r. sec. post. Raise mound
46.00 Trognois creek 200 th. wide cor. W,
80.00 Set post cor. sec. 4, 5, 8 & 9,
where raise a mound
Land level & part dry prairie part
Bullrush & flag swamps.

East On Random between sec. 4 & 9
79.19 To E. line of sec. 21 th. S. of post

T. 29 N. R. 5 W. 2nd. Mon. Ind.^a

West Correct line between sec. 4 & 9
 39.59½ Set gr. sec. post. & Raise mound
 79.19 To Sec. corner,
 Land level & 2nd rate prairie

North Between sec. 4 & 5
 40.00 Set gr. sec. post. in edge of woods
 a B. Oak 25 in. dia. bear N 96° 18' E 185 lns. dist.
 & a Do. 25 " " " N 14° W 183 " "
 46.03 a B. Oak 18 " "
 72.62 To N. boundary of township 53 lns. E,
 of post. Set post in mound
 Land level greater part prairie 2nd rate
 20th June 1834.

North Between sections 31 & 32
 17.38 a W. Oak 20 in. dia.,
 40.00 Set gr. sec. post. & Raise mound
 80.00 Set post cor. in mound, cor. sec. 29.30.31
 & 32, Land level & greater part 2nd rate
 prairie, small grove of W. Oak 1 B Oak,

East On Random between sec. 29 & 32
 80.02 To E. line of sec. 13 lns. S. of post

West Correct line between sec. 29 & 32
 40.01 Set gr. sec. post. in mound
 80.02 To sec. cor. 8½ mile wet
 W & dry prairie,

West Random between sec. 30 & 31
 81.75 To the W. boundary 46 lns. S. of post,

East Correct line between sec. 30 & 31
 41.75 Set gr. sec. post. in mound
 81.75 To Sec. corner, Land 2nd rate prairie.

by T. 29 N. R. 5 W. 2nd. Mer. Ind^a.

North Between sections 29 & 30

40.00 Set gr. sec. post in mound

80.00 Set post cor. sec. 19, 20, 29 & 30
when raise a mound,
Land dry prairie & sec^d rate,

East On Random between sec. 20 & 29
80.67 To E. line of sec. 5 th. S. of post,

West Correct line between sec. 20 & 29

40.33 $\frac{1}{2}$ Sec. post. $\frac{1}{4}$ sec. cor. in mound

80.67 To sec. corner,

Land 2nd rate prairie.

West On Random between sec. 19 & 30

80.98 To W. boundary 8 $\frac{1}{4}$ th. S. of post

East Correct line between sec. 19 & 30

40.98 Set gr. sec. post for, which
raise a mound,

80.98 To sec. corner,

Land sec^d rate prairie

North Between sections 19 & 20

40.00 Set gr. sec. post in mound,

80.00 Set post in mound cor. sec. 17, 18 & 19 & 20,
Land level & sec^d rate prairie,

East On Random between sec. 17 & 20

80.43 To E. line of sec. 19 th. S. of post

West Correct line between sec. 17 & 20

40.21 $\frac{1}{2}$ Set gr. sec. post in mound

80.43 To sec. corner,

Land sec^d rate prairie,

T. 29 N. R. 5 W. 2nd Mer. Ind^o

West On Random Between Sec^s. 18 & 19
79.46 To the W. boundary 44th M. E. of post

East Correct line between sec^s. 18 & 19
39.46 Set q^r. Sec. post in mound
79.46 To Sec. corner,
Land level & sec^d. rate prairie,

North Between sections 17 & 18
40.00 Set q^r. Sec. post in mound.
80.00 Set post cor. sec^s. 7, 8, 17 & 18, in mound
Land level part wet & part dry
prairie & sec^d. rate,

East On Random between sec^s. 8 & 17
80.11 To E. line of sec^s. 44th M. S. of post,

West Correct line Between sec^s. 8 & 17
40.05 $\frac{1}{2}$ Set q^r. Sec. post in mound
80.11 To Sec. corner,
Land level 2nd rate prairie,

West Between sections 7 & 18,
79.74 To W. boundary 68th M. E. of post,

East Correct line between sec^s. 7 & 18,
39.74 Set q^r. Sec. post in a mound
59.74 Frognois Creek 200th M. wide in W.
79.74 To Sec. corner,
Wet prairie & flag & Bull rush swamp,

North Between sections 7 & 8,
20.00 Frognois creek 200th M. wide in S. W.
40.00 Set q^r. Sec. post in mound
80.00 Set post cor. sec^s. 5, 6, 7 & 8 in mound
Land level & sec^d. rate prairie except

T. 29 N. R. 5 W. 2nd Mer. Ind.

Co. L. a few flag & Bull rush swamps

West On Random between Sec. 6 & 7,
79.27 To W. boundary 48 lbs. S. of post,

East Correct line between Sec. 6 & 7
39.27 Set q^r. Sec. post in mound
79.27 To Sec. corner,
Land sec^d. rate rolling & dry prairie

East On Random between sec. 5 & 8,
79.11 To E. line of Sec. 98 lbs. S. of post

West Correct line between sec. 5 & 8,
39.55 $\frac{1}{2}$ Set q^r. Sec. post in mound
79.11 To Sec. corner,
Land sec^d. rate prairie,

North Between Sec. 5 & 6,
40.00 Set q^r. sec. post from which
a W. Oak 18 in. dia, bears S 37 $\frac{1}{2}$ W 117 lbs,
no other
74.28 To N. boundary 18 lbs. W. of post
& set post cor. Sec. 5 & 6, from which
a W. Oak 18 in. dia, bears N 70 W 432 lbs. dia,
& a Do. 20 " " " N 69 W 439 " "
South $\frac{1}{2}$ mile dry prairie N $\frac{1}{2}$ mile
sec^d. rate land. Timber R. & B. Oak &c,

This township has a considerable quantity of dry prairie in it but is connected with groves of timber in such a manner as to prevent any particular designation of them other than what may be inferred! from the field notes.

T. 29 N. R. 5 W. 2nd Mer. Ind.^a

This book contains a true copy of the field notes of the township to which it refers - which is hereby certified.

Robert Hanna.
Deputy Surveyor,

I certify that the foregoing transcript of field notes of Township 29 North, Range 5 West of 2nd Mer. state of Indiana, has been compared with the original in this office & found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office
Cincinnati. Sept. 16th 1842.